


0.2KW 1/4HP 3-phase 삼상


MAXII 외형도 Specifications

동력(Kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)		형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT						HT	VT
0.2 (삼상)	88	1 / 5	350	0.5	60	7.8	8.2	88 (정토크)	1 / 150	11.7	7.6	340	8	8.5
		1 / 10	175	1.0	90	7.8	8.2		1 / 160	10.9	7.6	350	8	8.5
		1 / 15	116.7	1.6	100	7.8	8.2		1 / 180	9.7	7.6	350	8	8.5
		1 / 20	87.5	2.1	120	7.8	8.2		1 / 200	8.8	7.6	350	8	8.5
		1 / 30	58.3	3.1	180	7.8	8.2		1 / 90	19.4	9.2	250	9	9.5
		1 / 40	43.8	4.1	190	7.8	8.2		1 / 100	17.5	10.2	290	9	9.5
		1 / 50	35	5.1	200	7.8	8.2		1 / 120	14.6	11.7	340	9	9.5
		1 / 60	29.2	6.2	220	7.8	8.2		1 / 140	12.5	13.6	340	9	9.5
		1 / 75	23.3	7.6	250	7.8	8.2		1 / 150	11.7	14.6	340	9	9.5
	88 (정토크)	1 / 90	19.4	7.6	250	7.8	8.2	105	1 / 160	10.9	15.6	350	9	9.5
		1 / 100	17.5	7.6	290	8	8.2		1 / 180	9.7	18.0	350	9	9.5
		1 / 120	14.6	7.6	340	8	8.5		1 / 200	8.8	19.5	350	9	9.5
		1 / 140	12.5	7.6	340	8	8.5							


MAXII 88 HORIZONTAL 3-phase




MAXII 88 VERTICAL 3-phase



MAXII 105 HORIZONTAL 3-phase



MAXII 105 VERTICAL 3-phase




0.2KW 1/4HP 1-phase 단상


MAXII 외형도 Specifications

동력(Kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)		형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT						HT	VT
0.2 (단상)	88	1 / 5	350	0.5	60	9.8	10	88 (정토크)	1 / 150	11.7	7.6	340	9.8	10
		1 / 10	175	1.0	90	9.8	10		1 / 160	10.9	7.6	350	9.8	10
		1 / 15	116.7	1.6	100	9.8	10		1 / 180	9.7	7.6	350	9.8	10
		1 / 20	87.5	2.1	120	9.8	10		1 / 200	8.8	7.6	350	9.8	10
		1 / 30	58.3	3.1	180	9.8	10		1 / 90	19.4	9.2	250	10	11
		1 / 40	43.8	4.1	190	9.8	10	105	1 / 100	17.5	10.2	290	10	11
		1 / 50	35	5.1	200	9.8	10		1 / 120	14.6	11.7	340	10	11
		1 / 60	29.2	6.2	220	9.8	10		1 / 140	12.5	13.6	340	10	11
		1 / 75	23.3	7.6	250	9.8	10		1 / 150	11.7	14.6	340	10	11
		1 / 90	19.4	7.6	250	9.8	10		1 / 160	10.9	15.6	350	10	11
	88 (정토크)	1 / 100	17.5	7.6	290	9.8	10		1 / 180	9.7	18.0	350	10	11
		1 / 120	14.6	7.6	340	9.8	10		1 / 200	8.8	19.5	350	10	11
		1 / 140	12.5	7.6	340	9.8	10							


MAXII 88 HORIZONTAL 1-phase




MAXII 88 VERTICAL 1-phase



MAXII 105 HORIZONTAL 1-phase




MAXII 105 VERTICAL 1-phase




0.2KW LINE POWER

MAXII 88 LINE POWER I



MAXII 105 LINE POWER I




0.4KW 2/4HP 3-phase 삼상


MAXII 외형도 Specifications

동력(Kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)		형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT						HT	VT
0.4 (삼상)	88	1 / 5	350	1	90	10	10.3	135	1 / 90	19.4	18	350	22	23.1
		1 / 10	175	2.1	120	10	10.3		1 / 100	17.5	20.3	500	22	23.1
		1 / 15	116.7	3.1	140	10	10.3		1 / 120	14.6	23.4	600	22	23.1
		1 / 20	87.5	4.2	150	10	10.3		1 / 140	12.5	27.3	600	22	23.1
		1 / 30	58.3	6.1	260	10	10.3		1 / 150	11.7	29.2	600	22	23.1
		1 / 40	43.8	8.1	290	11.5	12		1 / 160	10.9	31.2	600	22	23.1
	105	1 / 50	35	10.2	320	11.5	12		1 / 180	9.7	32	600	22	23.1
		1 / 60	29.2	12.2	350	11.5	12		1 / 200	8.8	32	600	22	23.1
		1 / 75	23.3	15.3	350	11.5	12							


MAXII 88 HORIZONTAL 3-phase




MAXII 88 VERTICAL 3-phase




MAXII 105 HORIZONTAL 3-phase




MAXII 105 VERTICAL 3-phase



MAXII 135 HORIZONTAL 3-phase



MAXII 135 VERTICAL 3-phase




0.4KW 2/4HP 1-phase 단상


MAXII 외형도 Specifications

동력(kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)		형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT						HT	VT
0.4 (단상)	88	1 / 5	350	1	90	14,5	14,7	135	1 / 90	19,4	18	350	27,2	28,3
		1 / 10	175	2,1	120	14,5	14,7		1 / 100	17,5	20,3	500	27,2	28,3
		1 / 15	116,7	3,1	140	14,5	14,7		1 / 120	14,6	23,4	600	27,2	28,3
		1 / 20	87,5	4,2	150	14,5	14,7		1 / 140	12,5	27,3	600	27,2	28,3
		1 / 30	58,3	6,1	260	14,5	14,7		1 / 150	11,7	29,2	600	27,2	28,3
		1 / 40	43,8	8,1	290	16,1	16,5		1 / 160	10,9	31,2	600	27,2	28,3
	105	1 / 50	35	10,2	320	16,1	16,5		1 / 180	9,7	32	600	27,2	28,3
		1 / 60	29,2	12,2	350	16,1	16,5		1 / 200	8,8	32	600	27,2	28,3
		1 / 75	23,3	15,3	350	16,1	16,5							


MAXII 88 HORIZONTAL 1-phase




MAXII 88 VERTICAL 1-phase




MAXII 105 HORIZONTAL 1-phase




MAXII 105 VERTICAL 1-phase



MAXII 135 HORIZONTAL 1-phase




MAXII 135 VERTICAL 1-phase




0.4KW LINE POWER


MAXII 88 LINE POWER I



MAXII 105 LINE POWER I



MAXII 135 LINE POWER I




0.75KW 1HP 3-phase 삼상


MAXII 외형도 Specifications

동력(Kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)		형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT						HT	VT
0.75 (삼상)	105	1 / 5	350	2	130	17	17.5	153	1 / 90	19.4	34.3	650	32	34.7
		1 / 10	175	4	180	17	17.5		1 / 100	17.5	38.1	720	32	34.7
		1 / 15	116.7	5.8	220	17	17.5		1 / 120	14.6	43.8	720	32	34.7
		1 / 20	87.5	7.8	240	17	17.5		1 / 140	12.5	51	720	32	34.7
		1 / 30	58.3	11.4	410	17	17.5		1 / 150	11.7	54.8	720	32	34.7
	135	1 / 40	43.8	15.3	430	24.5	25.7		1 / 160	10.9	58.4	720	32	34.7
		1 / 50	35	19.1	470	24.5	25.7		1 / 180	9.7	60	720	32	34.7
		1 / 60	29.2	22.9	560	24.5	25.7		1 / 200	8.8	60	720	32	34.7
		1 / 75	23.3	28.6	600	24.5	25.7							


MAXII 105 HORIZONTAL 3-phase




MAXII 105 VERTICAL 3-phase




MAXII 135 HORIZONTAL 3-phase




MAXII 135 VERTICAL 3-phase



MAXII 153 HORIZONTAL 3-phase



MAXII 153 VERTICAL 3-phase




0.75KW 1HP 1-phase 단상


MAXII 외형도 Specifications

동력(Kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)		형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT						HT	VT
0.75 (단상)	105	1 / 5	350	2	130	21.6	22	153	1 / 90	19.4	34.3	650	31	41
		1 / 10	175	4	180	21.6	22		1 / 100	17.5	38.1	720	31	41
		1 / 15	116.7	5.8	220	21.6	22		1 / 120	14.6	43.8	720	31	41
		1 / 20	87.5	7.8	240	21.6	22		1 / 140	12.5	51	720	31	41
		1 / 30	58.3	11.4	410	21.6	22		1 / 150	11.7	54.8	720	31	41
		1 / 40	43.8	15.3	430	30	31		1 / 160	10.9	58.4	720	31	41
	135	1 / 50	35	19.1	470	30	31		1 / 180	9.7	60	720	31	41
		1 / 60	29.2	22.9	560	30	31		1 / 200	8.8	60	720	31	41
		1 / 75	23.3	28.6	600	30	31							


MAXII 105 HORIZONTAL 1-phase




MAXII 105 VERTICAL 1-phase




MAXII 135 HORIZONTAL 1-phase




MAXII 135 VERTICAL 1-phase



MAXII 153 HORIZONTAL 1-phase




MAXII 153 VERTICAL 1-phase




0.75KW LINE POWER


MAXII 105 LINE POWER I



MAXII 135 LINE POWER I



MAXII 153 LINE POWER I




GEARED
MOTORS

1.5KW 2HP 3-phase 삼상


MAXII 외형도 Specifications

동력(Kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)		형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT						HT	VT
1.5 (삼상)	135	1 / 5	350	4	180	29	30	172	1 / 90	19.4	68.7	720	50	53.1
		1 / 10	175	7.8	250	29	30		1 / 100	17.5	76.3	1000	50	53.1
		1 / 15	116.7	11.7	290	29	30		1 / 120	14.6	87.7	1000	50	53.1
		1 / 20	87.5	15.6	330	29	30		1 / 140	12.5	102	1000	50	53.1
		1 / 30	58.3	22.9	520	29	30		1 / 150	11.7	110	1000	50	53.1
		1 / 40	43.8	30.5	600	37.6	40		1 / 160	10.9	116.9	1000	50	53.1
	153	1 / 50	35	36.5	720	37.6	40		1 / 180	9.7	131.5	1000	50	53.1
		1 / 60	29.2	45.8	720	37.6	40		1 / 200	8.8	137	1000	50	53.1
		1 / 75	23.3	57.8	720	37.6	40							


MAXII 135 HORIZONTAL 3-phase




MAXII 135 VERTICAL 3-phase




MAXII 153 HORIZONTAL 3-phase




MAXII 153 VERTICAL 3-phase



MAXII 172 HORIZONTAL 3-phase



MAXII 172 VERTICAL 3-phase




1.5KW 2HP 1-phase 단상


MAXII 외형도 Specifications

동력(Kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)		형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT						HT	VT
1.5 (단상)	135	1 / 5	350	4	180	5,2	36,5	172	1 / 90	19,4	68,7	720	56,7	61
		1 / 10	175	7,8	250	35,2	36,5		1 / 100	17,5	76,3	1000	56,7	61
		1 / 15	116,7	11,7	290	35,2	36,5		1 / 120	14,6	87,7	1000	56,7	61
		1 / 20	87,5	15,6	330	35,2	36,5		1 / 140	12,5	102	1000	56,7	61
		1 / 30	58,3	22,9	520	35,2	36,5		1 / 150	11,7	110	1000	56,7	61
	153	1 / 40	43,8	30,5	600	43	45,6		1 / 160	10,9	116,9	1000	56,7	61
		1 / 50	35	36,5	720	43	45,6		1 / 180	9,7	131,5	1000	56,7	61
		1 / 60	29,2	45,8	720	43	45,6		1 / 200	8,8	137	1000	56,7	61
		1 / 75	23,3	57,8	720	43	45,6							


MAXII 135 HORIZONTAL 1-phase




MAXII 135 VERTICAL 1-phase




MAXII 153 HORIZONTAL 1-phase




MAXII 153 VERTICAL 1-phase



MAXII 172 HORIZONTAL 1-phase




MAXII 172 VERTICAL 1-phase




1.5KW LINE POWER


MAXII 135 LINE POWER I



MAXII 153 LINE POWER I



MAXII 172 LINE POWER I




2.2KW 3HP 3-phase 삼상


MAXII 외형도 Specifications

동력(Kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)		형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT						HT	VT
2.2 (삼상)	153	1 / 5	350	5.7	220	50.3	53	172	1 / 40	43.8	44.8	740	61.8	65
		1 / 10	175	11.4	320	50.3	53		1 / 50	35	56	880	61.8	65
		1 / 15	116.7	17	360	50.3	53		1 / 60	29.2	67.1	1000	61.8	65
		1 / 20	87.5	22.9	410	50.3	53		1 / 75	23.3	83.9	1000	61.8	65
		1 / 30	58.3	33.6	710	50.3	53							


MAXII 153 HORIZONTAL 3-phase




MAXII 153 VERTICAL 3-phase



MAXII 172 HORIZONTAL 3-phase




MAXII 172 VERTICAL 3-phase




2.2KW LINE POWER

MAXII 153 LINE POWER



MAXII 172 LINE POWER




3.7KW 5HP 3-phase 삼상


MAXII 외형도 Specifications

동력(Kw) POWER	형번	비율 RATIO	R.P.M	TORQUE (Kgf.m)	O.H.L (Kgf)	WEIGHT(KG)	
						HT	VT
3.7 (삼상)	172	1 / 5	350	9,6	320	65,5	69
		1 / 10	175	19	400	65,5	69
		1 / 15	116,7	28,8	450	65,5	69
		1 / 20	87,5	38	710	65,5	69
		1 / 30	58,3	56,5	880	65,5	69

MAXII 172 HORIZONTAL 3-phase



MAXII 172 VERTICAL 3-phase



3.7KW LINE POWER

MAXII 172 LINE POWER

